

# 8th DualSPHysics Workshop

27 - 29 January 2026, Ourense, Spain


## Experimental-Numerical Validation of DualSPHysics-FEA Coupling for Flexible Floating Bodies in a Sloshing Tank

Francisco Bernardo<sup>1</sup>, Moisés Brito<sup>1</sup>, Rui M.L. Ferreira<sup>2</sup>,  
João Leal<sup>3</sup>, Iván Martínez-Estévez<sup>4</sup>, Alejandro J.C. Crespo<sup>4</sup>

1. UNIDEMI, Department of Mechanical and Industrial Engineering, NOVA School of Science and Technology, Lisbon, Portugal
2. CERIS, Instituto Superior Técnico, Lisbon, Portugal
3. Faculty of Science and Engineering University of Agder, Norway
4. EPHYSLAB, Environmental Physics Laboratory, CIM-UVIGO, Universidade de Vigo, Spain

# Motivation

## Floating Photovoltaic Systems




5MW Floating photovoltaic power plant installed in the Alqueva dam, Portugal.  
Retrieved from <https://www.edp.com/en/media/edp-stories/alquevas-floating-solar-panels>  
on June 6, 2025



24.5 MW Floating photovoltaic power plant located in Austria.  
Retrieved from <https://www.ecowind.at/references/floating-photovoltaic-plant-in-grafenworth/?lang=en>  
on June 6, 2025

# Motivation

## Floating Photovoltaic Systems




### Advantages

1. Lower panel temperature → Better panel efficiency → More power output



2. Reduced water evaporation



3. No sunlight on water → Less algae → Better water quality




4. No land required → No need to buy large plots of land



# Motivation

## Floating Photovoltaic Systems



### Criticism




Photovoltaic power plant installed in Devon, UK.  
Amy Oliver, Daily Mail, May 29, 2021. retrieved from:  
<https://www.dailymail.co.uk/news/article-9632831/A-toxic-blot-landscape-Solar-farms-ruining-views-causing-misery-residents.html>


Photovoltaic power plants have received a lot of negative backlash for ruining the natural landscape on rural areas

# Motivation

Floating Photovoltaic Systems




Offshore Floating Photovoltaic Systems



Offshore photovoltaic plant concept  
Offshore energy, June 6 2020. retrieved from:  
<https://www.offshore-energy.biz/floating-solar-takes-on-high-seas/>

# Motivation

## Floating Photovoltaic Systems




## Offshore Floating Photovoltaic Systems

Developer	Project Name	Location	Capacity [MW]	Status
Oceans of Energy	North Sea 2	North Sea, Netherlands	1	Operational (scale-up)
	North Sea 3	Ostend, Belgium	3	Deployed (2024)
Ocean Sun	MP Quantum Greece	Greece & Cyprus	4	Planned (delayed)
	Singapore Strait Pilot	Singapore	1.2	In development (delayed)
	Jurong Island Pilot	Singapore	1.5	Planned (commissioning ~2026)
Solar Duck	Hollandse Kust West VII	North Sea, Netherlands	5	Planned (target ~2026)
	Tokyo Bay ESG Project	Tokyo, Japan	5	Deployed demo (capacity likely <5 MW)
SolarinBlue	Arabian Sea Pilot	Mangalore, India	1	Planned / permitting

# Research Gap




## Offshore Floating Photovoltaic Systems




Offshore photovoltaic plant concept  
Offshore energy, June 6 2020. retrieved from:  
<https://www.offshore-energy.biz/floating-solar-takes-on-high-seas/>



Clear need for a robust code for simulating  
structure interactions with flexible  
structures



# Research Gap




Mesh based FSI using OpenFOAM. Adapted from: interaction for a flexible floating structure, <https://doi.org/10.1016/j.marstruc.2019.02.006>




Mesh based FSI using Star-CCM+. Adapted from: Lakshmyanarayanan P.A. et al, Application of CFD and FEA coupling to predict dynamic behaviour of a flexible barge in regular head waves, <https://doi.org/10.1016/j.marstruc.2019.02.006>


**FVM struggle with highly flexible FSI & other limitations**




(a)  $E = 35$  MPa



(b)  $E = 30$  MPa




(c)  $E = 25$  MPa



Mesh based FSI using OpenFOAM. Adapted from: Huang & Li, Design of the submerged horizontal plate breakwater using a fully coupled hydroelastic approach, <https://doi.org/10.1016/j.marstruc.2019.02.006>

# Research Gap



Clear need for a robust code for simulating fluid-structure interactions with flexible structures




1. No code clearly capable of solving fluid interactions with highly flexible structures
2. Recent advances in SPH coupling with Flexible bodies



1. O'Connor, J. & Rogers, B.D. (2021)
2. Martínez-Estévez, I. & Tagliaferro, B. & El Rahi, J. & Domínguez, J.M. & Crespo, A.J.C. & Troch, P. & Gómez-Gesteira, M. (2023)



# Numerical Method

(I. Martínez Estévez et al. 2023)



Martínez-Estévez, I., Tagliaferro, B., El Rahi, J., Domínguez, J. M., Crespo, A. J. C., Troch, P., & Gómez-Gesteira, M. (2023). Coupling an SPH-based solver with an FEA structural solver to simulate free surface flows interacting with flexible structures. *Computer Methods in Applied Mechanics and Engineering*, 410, 115989. <https://doi.org/10.1016/j.cma.2023.115989>

# Objective




1. Use data from literature


2. Create new experimental data

# Experimental Methodology

Create our own experimental data




Wave flume at DECivil, Instituto Superior Técnico, Lisbon, Portugal



Sloshing tank at CEHINAV, Universidade Politécnica de Madrid, Madrid, Spain

# Experimental Methodology

Create our own experimental data




# Experimental Methodology

## Sloshing tank

Small and purpose  
built for this project



Design for  
better Data





1. Accurate Pressure Results

2. Particle Image Velocimetry - PIV

3. Guarantee equal sloshing motion  
between experimental and numerical cases

# Experimental Setup

## Sloshing tank





# Experimental Setup

## Sloshing tank

Dimensions:  $1m \times 0,6m \times 0,2m$

1. Accurate Pressure Results
2. Particle Image Velocimetry -
3. Guarantee equal sloshing motion between experimental and numerical cases




# Experimental Setup

## Flexible floating body



EPDM Rubber foam sheet, 8mm





For validation, we  
need the exact  
material properties

# Experimental Setup




Uniaxial Tensile test of the EPDM Rubber foam




Density	Young's Modulus	Poisson's Ratio
$106.27 \text{ kg/m}^3$	$0.2665 \text{ MPa}$	0.355

# Experimental Dataset



# Experimental Dataset




No body, simple sloshing



Floating body

# Numerical Setup



Same dimensions as the experimental tank

Flexible Beam of 50 elements

$D_p = 0.002$  m - 48k particles (12k of which Floating)


mDBC (NoSlip) is used on the tank and the floating body  
(A. English, J. M. Domínguez, R. Vacondio, A. J. C. Crespo, P. K. Stansby, S. J. Lind, L. Chiapponi & M. Gómez-Gesteira 2022)

Both the tank and floating body are classified and  
TypeFloating objects to enable collision


$\text{coefSound} = 40$ ,  $\text{ViscosityTreatment} = \text{Laminar}$

**Simulation time of 36 seconds, ran on an -NVIDIA  
Quadro RTX 4000, for ~10 hours**

# Numerical Setup





Tank Angle over time



# Numerical Setup


Tank Angle over time



Angular velocity – y axis



axis)




— x — z

# Numerical Setup

**3 Sloshing conditions**

Soft




Medium



Aggressive





# Results





# Results



## Medium



t = 3.80s




t = 6.58s



t = 32.08s


# Results

## Medium




# Results

## Pressure






Pressure Sensor 3 (0.025,0)




# Results

## PIV Flow velocities





# Results

## PIV Flow velocities



# Results

## Free-surface Elevation



# Future Ideas

Currently working on:

1. Numerical Validation paper currently being developed

Possible future projects

1. Mooring implementation on a wave flume and/or 3D
2. Comparison with other codes, or other flexible materials
3. Dimensionless parametric analysis
4. Complex floating photovoltaic platforms, such as the Alqueva dam

# 8th DualSPHysics Workshop

27 - 29 January 2026, Ourense, Spain

## Experimental-Numerical Validation of DualSPHysics-FEA Coupling for Flexible Floating Bodies in a Sloshing Tank

Francisco Bernardo<sup>1</sup>, Moisés Brito<sup>1</sup>, Rui M.L. Ferreira<sup>2</sup>,  
João Leal<sup>3</sup>, Iván Martínez-Estévez<sup>4</sup>, Alejandro J.C. Crespo<sup>4</sup>

1. UNIDEMI, Department of Mechanical and Industrial Engineering, NOVA School of Science and Technology, Lisbon, Portugal
2. CERIS, Instituto Superior Técnico, Lisbon, Portugal
3. Faculty of Science and Engineering University of Agder, Norway
4. EPHYSLAB, Environmental Physics Laboratory, CIM-UVIGO, Universidade de Vigo, Spain